Safety Datasheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ref No SDS-011
Date of issue and revision: 1st July 2025
Version: 1

Fernco Floodbag

Flood Protection

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Product form: Floodbag

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Floodbags are absorbent bags for protecting against flooding.

1.3 Details of the supplier of the safety data sheet:

Endeavour Works, Valley Dr, Newlands Way, Valley Park Industrial Estate, Wombwell, Barnsley S73 0UW
Telephone: 01226 340222, E-mail address: sales@fernco.co.uk

1.4 Emergency telephone number

NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLP classification according to Regulation (EC) No. 1272/2008

Carcinogenicity: Category 1B

2.2. Label elements

Hazard pictograms



Signal word: Danger

Hazard statements
H350 : May cause cancer

Precautionary statements
Prevention
P201: Obtain special instructionsbefore use.
P202 : Do not handle until all safety precautions have been read and understood.
P280 : Wear protective gloves/protective clothing/eye protection/face protection.

Response
P308+P313 : If exposed or concerned: Get medical advice/attention.

Storage
P405 : Store locked up.

Disposal
P501: Dispose of contents/container in accordance with local/regional/national/ international regulations.

2.3. Other hazards:

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Wood Pulp	Insufficient information, temporarily unable to evaluate
Super Absorbent Polymer	Insufficient information, temporarily unable to evaluate
SS hydrophilic non-woven	Insufficient information, temporarily unable to evaluate
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE	Insufficient information, temporarily unable to evaluate
Component in Hot melt Adhesive- Petroleum Resin	Insufficient information, temporarily unable to evaluate
100 % Spun Polyester	Insufficient information, temporarily unable to evaluate
Component in Hot melt Adhesive-Rubber	Insufficient information, temporarily unable to evaluate

Results of endocrine disrupting properties assessment

Component	Results of endocrine disrupting properties assessment [according to (EU) No 2017/2100 or (EU) No 2018/605]
Wood Pulp	Insufficient information, temporarily unable to evaluate
Super Absorbent Polymer	Insufficient information, temporarily unable to evaluate
SS hydrophilic non-woven	Insufficient information, temporarily unable to evaluate
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE	Insufficient information, temporarily unable to evaluate
Component in Hot melt Adhesive- Petroleum Resin	Insufficient information, temporarily unable to evaluate
100 % Spun Polyester	Insufficient information, temporarily unable to evaluate
Component in Hot melt Adhesive-Rubber	Insufficient information, temporarily unable to evaluate

Other : Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances:

Mixture

Component	Weight % content(or range)	Classification according to Regulation (EC)No. 1272/2008 [CLP]	Specific Conc. Limits, M-factors
Wood Pulp CAS : 65996-61-4 EC : 265-995-8 Index No.: -	38	Not Classified	-
Super Absorbent Polymer CAS : 9003-04-7 EC : 618-349-8 Index No.: -	38	Not Classified	-
SS hydrophilic non-woven CAS : 9003-07-0 EC: 618-352-4 Index No.: -	21	Not Classified	-

Component	Weight % content(or range)	Classification according to Regulation (EC)No. 1272/2008 [CLP]	Specific Conc. Limits, M-factors
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE CAS : 25038-32-8 EC: 607-504-5 Index No.: -	1.1	Not Classified	-
Component in Hot melt Adhesive- Petroleum Resin CAS : 8050-26-8 EC : 232-479-9 Index No.: -	0.98	Not Classified	-
100 % Spun Polyester CAS : 113669-95-7 EC : 601-271-3 Index No.: -	0.5	No information available	-
Component in Hot melt Adhesive-Rubber CAS : 64742-52-5 EC : 265-155-0 Index No.: 649-465-00-7	0.42	Carcinogenicity, Category 1, H350	-

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures:

General advice:
Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Eye contact:
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

Skin contact:
Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.

Ingestion
Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Inhalation
Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.

Protecting of first-aiders
Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

4.2 Most important symptoms/effects, acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media
Use extinguishing media suitable for surrounding area.

Unsuitable extinguishing media
There is no restriction on the type of extinguisher which may be used.

5.2. Special hazards arising from the substance or mixture:

Development of hazardous combustion gases or vapor possible in the event of fire.

May expansion or decompose explosively when heated or involved in fire.

5.3. Advice for firefighters:

As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.

Fight fire from a safe distance, with adequate cover.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Use personal protective equipment, do not breathe dust/fume.

6.2. Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up:

Cut off the source of the leak as much as possible.

Keep leaks in a ventilated place.

Isolation of contaminated areas and restrictions on access.

It is recommended that emergency personnel wear dust masks.

Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.

Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4. Reference to other sections:

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Disposal considerations advice is contained in Section 13 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Protective measures
Handling is performed in a well ventilated place.
Wear suitable protective equipment.
Avoid contact with skin and eyes.

Measures to prevent fire
Keep away from heat/sparks/open flames/ hot surfaces.

Measures to prevent aerosol and dust generation
Avoid formation of dust and aerosols.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on general occupational hygiene
Wash hands and face after using the substances.
Replace the contaminated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities:

Keep containers tightly closed.
Keep containers in a dry, cool and well-ventilated place.
Keep away from heat/sparks/open flames/hot surfaces.
Store away from incompatible materials and foodstuff containers.

7.3. Specific end use(s):
In addition to use mentioned in the Section 1.2, unforeseen other specific end uses.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

Occupational Exposure limit values: No relevant regulations

Biological limit values
Biological limit values: No relevant regulations

Monitoring methods
EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
GBZ/T 300 series standard Determination of toxic substances in workplace air.

Derived No effect level (DNEL)

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Wood Pulp	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Super Absorbent Polymer	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
SS hydrophilic non-woven	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
POLYSTYRENE -BLOCK-POLYISO-PRENE-BLOCK-POLYSTYRENE	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Component in Hot melt Adhesive-Petroleum Resin	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
100 % Spun Polyester	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Component in Hot melt Adhesive-Rubber	Inhalation	No data available	No data available	5.58 mg/m3	2.73 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

Predicted No Effect Concentration (PNEC)

Component	A	B	C	D	E	F	G	H
Component in Hot melt Adhesive- Petroleum Resin	100 µg/L	10 µg/L	2.525 mg/L	2317.75 mg/kg sediment dw	231.78 mg/kg sediment dw	No hazard identified	462.06 mg/kg soil dw	No potential to cause toxic effects if accumulated (in higher organisms) via the food chain
Component in Hot melt Adhesive-Rubber	No data available	No data available	No data available	No data available	No data available	No hazard identified	No data available	9.33 mg/kg food

Note 1:
A: Freshwater; B: Seawater; C: Sewage treatment plant; D: Sediment (freshwater); E: Sediment (seawater); F: Air; G: Soil; H: Secondary poisoning(Hazard for Predators).

Note 2:
The PNEC values of the remaining components not shown in the product are not available yet.

8.2 Exposure controls:

8.2.1 Engineering controls
Ensure adequate ventilation, especially in confined areas.

Ensure that eyewash stations and safety showers are close to the workstation location.

Use explosion-proof electrical/ventilating/lighting/equipment.

Set up emergency exit and necessary risk-elimination area.

8.2.2 Personal protection equipment
General requirement



Eye protection:
Must wear appropriate safety goggles.

Hand protection:
Must wear appropriate chemical protective gloves.

Respiratory protection:
Must wear appropriate personal respiratory protective equipment.

Skin and body protection:
Must wear appropriate chemical protective clothing and chemical resistant shoes.

8.2.3 Environmental exposure controls
Environmental exposure controls: No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Physical state	Rectangular solid
Colour	No information available
Odour	No information available
Odour threshold	No information available
pH	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available Lower limit: No information available
Vapor pressure(kPa)	Not applicable
Vapor density(Air=1)	Not applicable
Relative density(Water=1)	No information available
Solubility(mg/L)	No information available
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity(mm2/s)	Not applicable
Explosive properties	No information available
Oxidizing properties	No information available
Particle characteristics	No information available

9.2. Other information:

9.2.1. Information with regard to physical hazard classes:
No information available

9.2.2. Other safety characteristics:
No information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:
Contact with incompatible substances can cause decomposition or other chemical reactions.

10.2. Chemical stability:
Stable under proper operation and storage conditions.

10.3. Possibility of hazardous reactions:
No information available.

10.4. Conditions to avoid:
Incompatible materials, heat, flame and spark.

10.5. Incompatible materials:
No information available.

10.6. Hazardous decomposition products:
Under normal conditions of storage and use, hazardous decomposition products should not be produced..

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

	Floodbag
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

Acute toxicity:

Component	LD50(oral)	LD50(dermal)	LC50(inhalation,4h)
Super Absorbent Polymer	> 40000mg/kg(Rat)	No information available	No information available

Carcinogenicity:

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Wood Pulp	Not Listed	Not Listed
Super Absorbent Polymer	Not Listed	Not Listed
SS hydrophilic non-woven	Category 3	Not Listed

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE	Not Listed	Not Listed
Component in Hot melt Adhesive- Petroleum Resin	Not Listed	Not Listed
100 % Spun Polyester	Not Listed	Not Listed
Component in Hot melt Adhesive-Rubber	Not Listed	Not Listed

11.2. Information on other hazards:

11.2.1. Endocrine disrupting properties:

Component	Endocrine disrupting properties
Wood Pulp	No information available
Super Absorbent Polymer	No information available
SS hydrophilic non-woven	No information available
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE	No information available
Component in Hot melt Adhesive- Petroleum Resin	No information available
100 % Spun Polyester	No information available
Component in Hot melt Adhesive-Rubber	No information available

11.2. Information on other hazards:

11.2.2 Other Information

Other Information: See Section 11.1

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:

Acute aquatic toxicity
No information available

Chronic aquatic toxicity
No information available

12.2. Persistence and degradability:

Component	Persistence (water/soil)	Persistence (air)
Wood Pulp	Low	Low
SS hydrophilic non-woven	Low	Low

12.3 Bioaccumulative potential:

Component	Bioaccumulative potential	Comments
Wood Pulp	Low	Log Kow=-5.1249
SS hydrophilic non-woven	Low	Log Kow=1.6783

12.4 Mobility in soil

Component	Mobility in soil	Soil Organic Carbon-Water Partitioning Coefficient (Koc)
Wood Pulp	Low	10
SS hydrophilic non-woven	Low	23.74

12.5 Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Wood Pulp	Insufficient information, temporarily unable to evaluate
Super Absorbent Polymer	Insufficient information, temporarily unable to evaluate
SS hydrophilic non-woven	Insufficient information, temporarily unable to evaluate
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE	Insufficient information, temporarily unable to evaluate

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Component in Hot melt Adhesive- Petroleum Resin	Based on the available information, it is impossible to make PBT assessment
100 % Spun Polyester	Insufficient information, temporarily unable to evaluate
Component in Hot melt Adhesive-Rubber	Not PBT/vPvB

12.6 Endocrine disrupting properties

Component	Endocrine disrupting properties
Wood Pulp	No information available
Super Absorbent Polymer	No information available
SS hydrophilic non-woven	No information available
POLYSTYRENE-BLOCK-POLYISOPRENE-BLOCK-POLYSTYRENE	No information available
Component in Hot melt Adhesive- Petroleum Resin	No information available
100 % Spun Polyester	No information available
Component in Hot melt Adhesive-Rubber	No information available

12.7. Other adverse effects:

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods:

Waste chemicals:
Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Contaminated packaging:
Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Disposal recommendations:
Refer to section waste chemicals and contaminated packaging.

SECTION 14: TRANSPORT INFORMATION

Label and Mark
Transporting Label: Not applicable

IMDG-CODE
IMDG-CODE: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR
IATA-DGR: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR
UN-ADR: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Maritime transport in bulk according to IMO instruments
Transport in bulk according to Annex II of MARPOL and the IBC code: Not Available

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code: Not Available

Transport in bulk in accordance with the IGC Code: Not Available

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

International chemical inventory

Component	EC inventory	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AIICS	ENCS
Wood Pulp	√	√	√	√	√	√	√	√	×
Super Absorbent Polymer	×	√	√	√	√	√	√	√	√
SS hydrophilic non-woven	×	√	√	√	√	√	√	√	√
POLYSTYRENE-BLOCK-POLYISO-PRENE-BLOCK-POLYSTYRENE	×	√	√	√	√	√	√	√	√
Component in Hot melt Adhesive- Petroleum Resin	√	√	√	√	√	√	√	√	√
100 % Spun Polyester	×	√	×	×	×	×	√	×	×
Component in Hot melt Adhesive-Rubber	√	√	√	√	√	√	√	√	×

[EC inventory]: European Inventory of Existing Commercial Chemical Substances
[TSCA]: United States Toxic Substances Control Act Inventory
[DSL]: Canadian Domestic Substances List
[IECSC]: China Inventory of Existing Chemical Substances
[NZIoC]: New Zealand Inventory of Chemicals
[PICCS]: Philippines Inventory of Chemicals and Chemical Substances
[KECI]: Korea Existing Chemicals Inventory
[AIICS]: Australian. Inventory of Industrial Chemical (AIICS)
[ENCS]: Japan Inventory of Existing & New Chemical Substances

European chemical inventory

Component	A	B	C	D	E	F	G	H	I
Wood Pulp	×	×	×	√	×	×	×	×	×
Super Absorbent Polymer	×	×	×	√	×	×	×	×	×
SS hydrophilic non-woven	×	×	×	√	×	×	×	×	×
POLYSTYRENE-BLOCK-POLYISO-PRENE-BLOCK-POLYSTYRENE	×	×	×	√	×	×	×	×	×
Component in Hot melt Adhesive- Petroleum Resin	×	×	×	√	√	×	×	×	×
100 % Spun Polyester	×	×	×	√	×	×	×	×	×
Component in Hot melt Adhesive-Rubber	×	×	√	√	√	×	×	×	×

[A]: Candidate list of Substances of Very High Concern for authorization under EU REACH regulation
[B]: Substances requiring authorisation under EU REACH regulation
[C]: Substances restricted under EU REACH
[D]: Pre-registered substances under EU REACH
[E]: Registered substances under EU REACH
[F]: Substance Evaluation – CoRAP under EU REACH
[G]: List of priority substances under EU water policy (Directive 2455/2001/EC)
[H]: Substances subject to POPs Regulation
[I]: Substances proposed as POPs

Note:
"√" Indicates that the substance included in the regulations.
"×" No data or not included in the regulations.

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Information on revision
Creation Date: 2025/06/13
Revision Date: -
Reason for revision: -

Reference
[1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
[2] IARC, website: http://www.iarc.fr/.
[3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/.
[4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
[5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
[6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
[7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
[8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

Reference
CAS: Chemical Abstracts Service
PC-STEEL: Short term exposure limit
PC-TWA: Time Weighted Average
MAC: Maximum Allowable Concentration
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
NOEC: No Observed Effect Concentration
LC50: Lethal Concentration 50%
LD50: Lethal Dose 50%
EC50: Effective Concentration 50%
ECx: Effective Concentration X%

Abbreviations and acronyms

Reference
Pow: Partition coefficient Octanol: Water
BCF: Bioconcentration factor
ED: Endocrine disruptor
UN: The United Nations
OECD: Organization for Economic Co-operation and Development
IMDG-CODE: International Maritime Dangerous Goods CODE
IARC: International Agency for Research on Cancer
ICAO: International Civil Aviation Organization
IATA: International Air Transportation Association
ACGIH: American Conference of Governmental Industrial Hygienists
NFPA: National Fire Protection Association
NTP: National Toxicology Program
PBT: Persistent, Bioaccumulative, Toxic
vPvB: very Persistent, very Bioaccumulative
CMR: Carcinogens, mutagens or substances toxic to reproduction
RPE: Respiratory Protective Equipment

Disclaimer
This Safety Data Sheet (SDS) was prepared according to REACH Regulation The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

DISCLAIMER

This information is provided in good faith and is correct to the best of Fernco's knowledge as of the date hereof and is designed to assist our customers; however, Fernco makes no representation as to its completeness or accuracy. Our products are intended for sale to industrial and commercial customers. We require customers to inspect and test our products before use and to satisfy themselves as to suitability for their specific applications. Any use which Fernco customers or third parties make of this information, or any reliance on, or decisions made based upon it, are the responsibility of such customer or third party. Fernco disclaims responsibility for damages, or liability, of any kind resulting from the use of this information.

THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES. IN NO EVENT SHALL FERNCO BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

Fernco Ltd

Fernco is a specialist manufacturer and distributor to the civils & drainage, plumbing and flood protection sectors.

The company was established in 1989, with flexible couplings a key focus as much then as it is now. Growth from this product range over the years allowed Fernco to innovate other products to complement its entire product offering and expand into many different markets and countries.

With a reputation for supplying high quality products, Fernco offers a service to match and operates with a spirit of innovation across all areas of the company. Fernco's focus is to add value to all levels in the supply chain, from builders merchants to end users of our products.

01226 340222

sales@fernco.co.uk

www.fernco.co.uk

Endeavour Works, Valley Dr, Newlands Way, Valley Park Industrial Estate, Wombwell, Barnsley S73 0UW